



All India Council for Technical Education
(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. Eastern/1-688337691/2012/EOA

Date: 10 May 2012

To,
The Secretary (Technical education)
Govt. of West Bengal,
Bikash Bhawan, Room No. 602,
6th Floor Salt Lake, Kolkata-700091

Sub: Extension of approval for the academic year 2012-13

Ref: Application of the Institution for Extension of approval for the academic year 2012-13

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2010 notified by the Council vide notification number F-No.37-3/Legal/2010 dated 10/12/2010 and amendment vide notification number F-No.37-3/Legal/2011 dated 30/09/2011 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	Eastern	Application Id	1-688337691
		Permanent Id	1-3281431
Name of the Institute	HERITAGE INSTITUTE OF TECHNOLOGY	Institute Address	994, MADURDAHA, CHOWBAGA ROAD, ANANDAPUR, P.O. EAST KOLKATA TOWNSHIP, KOLKATA, SOUTH 24 PARGANAS, West Bengal, 700107
Name of the Society/Trust	KALYAN BHARTI TRUST	Society/Trust Address	994, MADURDAHA, CHOWBAGA ROAD, ANANDAPUR, P.O.-EAST KOLKATA TOWNSHIP, KOLKATA, West Bengal, 700107
Institute Type	Unaided - Private		

Opted for change from Women to Co-ed	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

to conduct following courses with the intake indicated below for the academic year 2012-13

Application Number: 1-688337691*

Page 1 of 4

Note: This is a Computer generated Extension of Approval Letter. No signature is required.

Letter Printed On: 6 June 2012.

Printed By : AE040491


Principal
Heritage Institute of Technology

